



Patient/Caregiver Guide

TEVIMBRA (tislelizumab for injection) is an immunotherapy medicine that works by helping the immune system fight cancer.

Always carry your Patient Alert Card for TEVIMBRA (tislelizumab for injection) with your doctor's contact information so your doctor can be reached in case of emergency (for instance in case of signs and symptoms of immune-mediated adverse reactions (side effects)).

Prescriber Contact Details _____

Phone # _____ **Emergency Phone #** _____

TEVIMBRA (tislelizumab for injection) may increase the risk of an exaggerated response of your immune system (immune-mediated adverse reactions). Immune-mediated adverse reactions can be serious and, in some cases, life-threatening, and may require immediate medical attention. Certain medications, such as corticosteroids, may be prescribed to you to prevent more severe complications or reduce symptoms of immune-mediated adverse reactions.

- ▼ Your doctor may delay the next infusion or completely stop further treatment if the side effects are too severe.
- ▼ You should not attempt to diagnose or treat side effects yourself without consulting your doctor.

Reporting Side Effects

If you get any side effects, talk to your doctor. This includes any possible side effects not listed in this guide. You must report side effects to your doctor.



MEDICAL ALERT Immune-Mediated Adverse Reactions



PATIENT NAME: _____

This patient is treated with TEVIMBRA (tislelizumab for injection), an immune therapy medicine, which may lead to immune-mediated adverse reactions that can be serious, in some cases life-threatening, and may require immediate medical attention.

MY DOCTOR: _____

CONTACT: _____

If you experience any symptoms listed in the patient guide, please contact your treating physician at

_____ or go to the nearest emergency department immediately.



Look out for serious adverse reactions (side effects)

TEVIMBRA® can have serious side effects, which can sometimes become life-threatening and can lead to death. Tell your doctor immediately if you get any of these side effects during treatment with TEVIMBRA.

Lungs: Shortness of breath, chest pain, new or worsening cough, trouble breathing.

Liver: Nausea, vomiting, pain on right side of the stomach, loss of appetite, yellowing of eyes and skin, bleeding or bruising more easily than normal, dark colored urine.

Bowel: Diarrhea or more bowel movements than normal, black, tarry, sticky stools, blood or mucus in stools, severe pain or tenderness in the stomach, nausea, vomiting.

Kidney and bladder: changes in the amount or colour of the urine, pain while urinating, pain in kidney area, possible symptoms of kidney problems.

Skin: Rash, itching, skin blistering or ulcers in the mouth or on other moist surfaces of nose, throat, genital areas, dry skin.

Hormone-producing glands (especially the adrenal, pituitary, or thyroid glands):

Fast heart rate, sweating, extreme redness, weight changes, dizziness or fainting, hair loss, feeling cold, constipation, headaches that will not go away, or unusual headaches, vision changes, changes in mood or behavior, such as decreased sex drive, irritability or forgetfulness, deeper voice.

Type 1 diabetes mellitus: Feeling more hungry or thirsty than normal, passing urine more often than normal, fruity smelling breath.

Muscles: Muscle pain and stiffness.

Heart: Chest pain, rapid or abnormal heartbeat, shortness of breath at rest or during activity, fluid build-up with swelling of the legs, ankles and feet.

Others: Fever, fatigue, difficulty walking, confusion, drowsiness, stiff neck, seizures, pain, weakness, joint pain, numbness, tingling, swollen lymph nodes.



ALWAYS CARRY THIS CARD AND SHOW TO PHYSICIANS INCLUDING ANESTHETISTS

This patient is being treated with TEVIMBRA® (tislelizumab for injection), which can cause immune-mediated adverse reactions that may appear at any time during treatment or even after treatment. Assess patients for signs and symptoms of immune-mediated adverse reactions. Early diagnosis and appropriate management are essential to minimize any consequences of immune-mediated adverse reactions.

For suspected immune-mediated adverse reactions, ensure adequate evaluation to confirm the etiology and exclude other causes. Depending on the type and severity of immune-mediated adverse reactions, consider withholding tislelizumab and administering corticosteroids. Specific guidelines for managing immune-mediated adverse reactions are available in the Product Monograph.

For further information call: _____